


AGRE Silent Professional Piston Compressors



nöesberger



**KOMPRESSOREN
SEIT 1919**

**Keeps your productivity up,
gets the job done every single time.
Reliable compressed air since 1919.**

Behind every successful business there is a strong and reliable compressed air supply. An air-supply you can count on: every day of the week, every week of the year. Assuring peace of mind and enabling your business to reach its full potential.

This is what AGRE has always been about and our industrial piston compressors have helped countless of customers around the globe since 1919.



AGRE INDUSTRIAL PISTON COMPRESSORS

Trusted air supply for industrial applications

Metal industry

Paint finishing systems, pneumatic tools, and automatic work-holding devices on machine tools.

Woodworking industry

Roller adjustment for reciprocating saws, drill feed units, frame, glue and veneer presses, stop and transport control of wood boards.

Plastics industry

Transport of granulate, cutting and welding equipment, blowing of work pieces out of manufacturing forms, closing mechanisms for casting forms, forming and gluing equipment.

Textile industry

Catch thread device, sewing needle and system cooling, staple devices, material remnants and sewing dust, ironing machines.

Paper-processing industry

Roller adjustment and pressing devices; cutting, stamping and pressing devices, paper web monitoring, printing house machines.

Transportation


Setting of signals, switches, barriers, lane markings, break air for rail vehicles, compressed air supply for petrol stations and car washes.

Food industry

Beverage filling plants, closing and test devices, labelling machines, weighing facilities.

Environmental technology

Oil barriers in the water, oxygen enrichment in waters, keeping sluices free of ice, booster stations, sewage lifting units



SILENT TWISTER: your work floor companion

The AGRE SILENT TWISTER combines performance with comfort like no other piston compressor. Ultra-quiet and easy to use, the SILENT TWISTER gives you reliable and powerful pneumatic support right on your work floor. With a power range from 2 to 10 hp, and flexible options for air storage and treatment, a SILENT TWISTER model is always available to fit your needs.



EXTRA QUIET

Optimized canopy design minimizes sound levels.



EASY TO USE

Intuitive control panel with pressure gauge and hour counter.



COMPACT

All-in-one design reduces the unit's footprint.



The integrated quality air solution

If you need dry, high-quality air, the SILENT TWISTER series is available with an integrated refrigerant dryer for a compact all-in-one solution.



A FLEXIBLE GO-GETTER

STRONG PERFORMANCE

The SILENT TWISTER packs a punch in a small frame. Its new pump was designed to give you a strong, energy-efficient performance and superior reliability. A dedicated cooling fan ensures smooth operation, even in hot and dusty conditions.



FLEXIBLE STORAGE

To ensure stable air delivery, the SILENT TWISTER offers a range of air storage options. For those with limited space, the floor-mounted unit comes with an integrated 27-liter air vessel. If you need more storage, tank-mounted models are available with 270-liter or 500-liter vessels.

ALWAYS DEPENDABLE

When you have things to do, you can't afford your compressor to break down. The SILENT TWISTER's high-efficiency piston pump with low rotation speed delivers exceptional reliability and a long lifetime.



THE RIGHT SILENT TWISTER TO MEET YOUR NEEDS

SILENT TWISTER 300-350

2-3 HP / 1.5-2.2 KW

- Extra quiet for comfortable work floor operation.
- Easy to operate and maintain.
- Integrated 27-liter air vessel ensures a stable air supply.
- Built for safety with fire-proof insulating foam and metal belt guard.
- Ideal for small pneumatic jobs.



SILENT TWISTER 400 / SILENT TWISTER 600

3-5.5 HP / 2.2-4 KW

- New NS31 pump delivers increased performance and reliability.
- Canopy was designed specifically to minimize sound.
- Available in floor-mounted and tank-mounted (270 and 500-liter) models.
- All-in-one design reduces the unit's footprint.
- Ideal for automotive service stations.



SILENT TWISTER 700 / SILENT (DRY) TWISTER 1300

5.5-10 HP / 4-7.5 KW

- Flexible air storage options with floor-mounted and tank-mounted (270 and 500-liter) models.
- Heavy-duty cooling system with dedicated fan for dependable operation in all conditions.
- Can be outfitted with integrated dryer for an all-in-one quality air solution.
- Ideal for workshops and carpentry shops.

SILENT TWISTER 300-350



EXTRA QUIET



COMPACT



EASY TO USE



INTEGRATED VESSEL



IMPROVED RELIABILITY



Description	Power		Pressure	Pump	Pump RPM	Air displacement		Vessel	Noise	Voltage	Dimensions	Weight	Start	Outlet
	HP	kW	bar	Type	Min ⁻¹	l/min	m ³ /h	L	Lp(4m)	V / ph / Hz	L x W x H	KG	DOL/YD	Connection
SILENT TWISTER 300W	2	1.5	10	NS12S	1075	255	15.3	27	61	230/1/50	797x457x845	86	DOL	1/4" G
SILENT TWISTER 300D	2	1.5	10	NS12S	1075	255	15.3	27	61	400/3/50	797x457x845	86	DOL	1/4" G
SILENT TWISTER 350W	3	2.2	10	NS12S	1350	320	19.2	27	62	230/1/50	797x457x845	87	DOL	1/4" G
SILENT TWISTER 350D	3	2.2	10	NS12S	1350	320	19.2	27	62	400/3/50	797x457x845	87	DOL	1/4" G

W = Mono phase

D = Three phase



SILENT TWISTER 400 / SILENT TWISTER 600



HIGH PERFORMANCE



EXTRA QUIET



FLEXIBLE STORAGE



COMPACT



IMPROVED RELIABILITY

Description	Power		Pressure	Pump	Pump RPM	Air displacement		Vessel	Noise	Voltage	Dimensions	Weight	Start	Outlet
	HP	kW	bar	Type	Min ⁻¹	l/min	m ³ /h	L	Lp(4m)	V / ph / Hz	L x W x H	KG	DOL/YD	Connection
SILENT TWISTER 400W 100	3	2.2	10	NS19S	1050	393	23.6	100	65	230/1/50	1002x1227x580	123	DOL	1/2" G
SILENT TWISTER 400D 100	3	2.2	10	NS19S	1050	393	23.6	100	65	400/3/50	1002x1227x580	123	DOL	1/2" G
SILENT TWISTER 500W 270	3	2.2	11	NS31	1050	444	26.6	270	65	230/1/50	1522x580x1242	175	DOL	1/2" G
SILENT TWISTER 500D 270	3	2.2	11	NS31	1050	444	26.6	270	65	400/3/50	1522x580x1242	175	DOL	1/2" G
SILENT TWISTER 550D	4	3	11	NS31	1300	553	33.2	0	69	400/3/50	750x580x710	112	DOL	3/4" G
SILENT TWISTER 550D 270	4	3	11	NS31	1300	553	33.2	270	69	400/3/50	1522x580x1242	176	DOL	1/2" G
SILENT TWISTER 600D	5.5	4	11	NS31	1400	598	35.9	0	69	400/3/50	750x580x710	113	DOL	3/4" G
SILENT TWISTER 600D 270	5.5	4	11	NS31	1400	598	35.9	270	69	400/3/50	1522x580x1242	177	DOL	1/2" G
SILENT TWISTER 600D 500	5.5	4	11	NS31	1400	598	35.9	500	69	400/3/50	1937x600x1348	217	DOL	3/4" G

W = Mono phase

D = Three phase



SILENT TWISTER 700 / SILENT (DRY) TWISTER 1300



HIGH PERFORMANCE



EXTRA QUIET



FLEXIBLE STORAGE



COMPACT



QUALITY AIR

Description	Power		Pressure bar	Pump Type	Pump RPM Min ⁻¹	Air displacement		Vessel L	Noise Lp(4m)	Voltage V / ph / Hz	Dimensions L x W x H	Weight KG	Start DOL/YD	Outlet Connection
	HP	kW				l/min	m ³ /h							
SILENT TWISTER 700D	5.5	4	11	NS39	1010	660	39.6	0	65	400/3/50	1045x741x955	153	DOL	3/4" G
SILENT TWISTER 700ST	5.5	4	11	NS39	1010	660	39.6	0	65	400/3/50	1045x741x955	157	YD	3/4" G
SILENT TWISTER 700D 270	5.5	4	11	NS39	1010	660	39.6	270	65	400/3/50	1517x741x1487	220	DOL	1/2" G
SILENT TWISTER 700ST 270	5.5	4	11	NS39	1010	660	39.6	270	65	400/3/50	1517x741x1487	224	YD	1/2" G
SILENT TWISTER 700D 500	5.5	4	11	NS39	1010	660	39.6	500	65	400/3/50	1943x741x1593	253	DOL	3/4" G
SILENT TWISTER 700ST 500	5.5	4	11	NS39	1010	660	39.6	500	65	400/3/50	1943x741x1593	257	YD	3/4" G
SILENT DRY TWISTER 700D 500	5.5	4	11	NS39	1010	660	39.6	500	65	400/3/50	1943x767x1596	265	DOL	3/4" G
SILENT DRY TWISTER 700ST 500	5.5	4	11	NS39	1010	660	39.6	500	65	400/3/50	1943x767x1596	269	YD	3/4" G
SILENT TWISTER 900D	7.5	5.5	11	NS39	1140	750	45.0	0	68	400/3/50	1045x741x955	229	DOL	3/4" G
SILENT TWISTER 900D ST	7.5	5.5	11	NS39	1140	750	45.0	0	68	400/3/50	1045x741x955	235	YD	3/4" G
SILENT TWISTER 900 D 500	7.5	5.5	11	NS39	1140	750	45.0	500	68	400/3/50	1943x741x1593	355	DOL	3/4" G
SILENT TWISTER 900 D 500 ST	7.5	5.5	11	NS39	1140	750	45.0	500	68	400/3/50	1943x741x1593	361	YD	3/4" G
SILENT DRY TWISTER 900 D 500	7.5	5.5	11	NS39	1140	750	45.0	500	68	400/3/50	1943x767x1596	367	DOL	3/4" G
SILENT DRY TWISTER 900D 500 ST	7.5	5.5	11	NS39	1140	750	45.0	500	68	400/3/50	1943x767x1596	371	YD	3/4" G
SILENT TWISTER 1300D	10	7.5	11	NS59	810	1020	61.2	0	66	400/3/50	1045x741x955	248	DOL	3/4" G
SILENT TWISTER 1300D ST	10	7.5	11	NS59	810	1020	61.2	0	66	400/3/50	1045x741x955	254	YD	3/4" G
SILENT TWISTER 1300 D 500	10	7.5	11	NS59	810	1020	61.2	500	66	400/3/50	1943x741x1593	393	DOL	3/4" G
SILENT TWISTER 1300 D 500 ST	10	7.5	11	NS59	810	1020	61.2	500	66	400/3/50	1943x741x1593	399	YD	3/4" G
SILENT DRY TWISTER 1300 D 500	10	7.5	11	NS59	810	1020	61.2	500	66	400/3/50	1943x767x1596	411	DOL	3/4" G
SILENT DRY TWISTER 1300D 500ST	10	7.5	11	NS59	810	1020	61.2	500	66	400/3/50	1943x767x1596	415	YD	3/4" G

ST = star-delta start DRY = integrated refrigerant dryer



AGRE Kompressoren is a supplier of reliable air compressors, dryers and filters. Providing small to medium customers through a network of distributors, AGRE provides Professional and Industrial piston and screw technology from 1.5 to 18.5kW, dryers, filters and maintenance.

With over 90 years of experience, AGRE offers reliability, serviceability, simplicity and availability. The company was founded in Vienna in 1919.

For more information

www.agre.de or contact your local dealer

noesberger

Noesberger Drucklufttechnik AG
Noesberger technique en air comprimé SA
Tasberg 35, 1717 St. Ursen | St Ours

026 322 22 77 | www.noesberger.swiss
dlt@noesberger.swiss



**KOMPRESSOREN
SEIT 1919**